

**Model:** [7106.6](#)

## Inlet Filter



### Specs

<b>Max Flow:</b>	20 gpm
<b>Min Pressure:</b>	0 psi
<b>Max Pressure:</b>	70 psi
<b>Inlet Port Size:</b>	1
<b>Discharge Port Size:</b>	1
<b>Type of Accessory:</b>	Inlet Filter
<b>Material:</b>	N/A

## Description:

The inlet filter is designed to filter the liquid before entering the pump. It easily mounts in-line at the pump inlet. The standard 80 mesh is adequate for normal city water and supply tank filtering. This version has a clear body for easy detection of a clogged filter. Additional filtration is necessary for reclaim and non-water liquids.

## Accessory to be used with these Pumps:

[1540E](#) 15 FRAME PLUNGER PUMP



[6801K68](#) FRAME BLOCK-STYLE PLUNGER PUMP



[680168](#) FRAME BLOCK-STYLE PLUNGER PUMP

[101010](#) FRAME PISTON PUMP

---



[1530](#)15 FRAME PLUNGER PUMP



[681168](#) FRAME BLOCK-STYLE PLUNGER PUMP



[3905](#) FRAME PISTON PUMP



[1531](#) 15 FRAME PLUNGER PUMP

[1541](#) 15 FRAME PLUNGER PUMP

---



[1015](#) 10 FRAME PISTON PUMP with PULSE PUMP MANIFOLD





[3811K38](#) FRAME BLOCK-STYLE PLUNGER PUMP



[351C35](#) FRAME PLUNGER PUMP



[6811K68](#) FRAME BLOCK-STYLE PLUNGER PUMP