

Model: [7109](#)

Inlet Filter



Specs

Max Flow:	7 gpm
Min Pressure:	0 psi
Max Pressure:	70 psi
Inlet Port Size:	2
Discharge Port Size:	2
Type of Accessory:	Inlet Filter
Material:	Brass (BB)

Description:

The inlet filter is designed to filter the liquid before entering the pump and is designed to be mounted in-line at the pump inlet. The standard 80 mesh is adequate for normal city water and supply tank filtering. Additional filtration is necessary for reclaim and non-water liquids.

Accessory to be used with these Pumps:

[6841](#) 68 FRAME BLOCK-STYLE PLUNGER PUMP

[6841K](#) 68 FRAME BLOCK-STYLE PLUNGER PUMP

[6861](#) 68 FRAME BLOCK-STYLE PLUNGER PUMP

[6861K](#) 68 FRAME BLOCK-STYLE PLUNGER PUMP



[152R060](#) 150 FRAME PLUNGER PUMP

[6760](#) 60 FRAME PLUNGER PUMP


[6761](#) 60 FRAME PLUNGER PUMP



[676760](#) FRAME PLUNGER PUMP



[6020](#)60 FRAME PISTON PUMP



[6021](#)60 FRAME PISTON PUMP



[683568](#) FRAME BLOCK-STYLE PLUNGER PUMP




[6040](#)60 FRAME PISTON PUMP



[6835K68](#) FRAME BLOCK-STYLE PLUNGER PUMP



[683168](#) FRAME BLOCK-STYLE PLUNGER PUMP



[6041](#)60 FRAME PISTON PUMP



[6024](#) OBSOLETE 60 FRAME PISTON PUMP



[6044](#) OBSOLETE 60 FRAME PISTON PUMP



[6747](#)60 FRAME PLUNGER PUMP

[6762](#)60 FRAME PLUNGER PUMP

[6775](#)60 FRAME PLUNGER PUMP



[677160](#) FRAME PLUNGER PUMP



[677760](#) FRAME PLUNGER PUMP



[6831K68](#) FRAME BLOCK-STYLE PLUNGER PUMP



[157R060](#)150 FRAME PLUNGER PUMP



[157R080](#)150 FRAME PLUNGER PUMP



[152R060C](#) 150 FRAME PLUNGER PUMP