



**Model: [7630](#)**  
**Pressure Sensitive Regulating Unloader**

**Specs**

<b>Max Flow:</b>	10.5 gpm
<b>Min Pressure:</b>	400 psi
<b>Max Pressure:</b>	5100 psi
<b>Inlet Port Size:</b>	0.37
<b>Discharge Port Size:</b>	0.5
<b>Type of Accessory:</b>	Unloader
<b>Material:</b>	Brass (BB)

**Description:**

This Pressure Regulating Unloader is designed for single gun or pump operation. This unloader maintains set system pressure and goes into by-pass with the release of the trigger or an obstruction downstream. The pressure sensitive feature permits a wide range of flows and quickly resumes full pressure when the gun is opened or the obstruction cleared. It is NOT recommended for weep systems. 5-10% by-pass is necessary for optimum performance.

**Accessory to be used with these Pumps:**

[350135](#) FRAME PLUNGER PUMP



[3501C35](#) FRAME PLUNGER PUMP



[59G118](#) OBSOLETE 7FR PUMP WITH GEARBOX



[60G118](#) OBSOLETE 7FR PUMP WITH GEARBOX



[70G1](#) OBSOLETE 7FR PUMP WITH GEARBOX



[70G118](#)OBSOLETE 7FR PUMP WITH GEARBOX

[5CP5150G15CP](#) PUMP WITH GEARBOX

[5CP5150G118](#)OBSOLETE 5CP PUMP WITH GEARBOX

[45G118](#)5FR PUMP WITH GEARBOX



[70](#) OBSOLETE 7 FRAME PLUNGER PUMP