

2GV Plus

SUBMERSIBLE 2" SEWAGE PUMP CURVES

1.8 - 3.8 HP THREE PHASE




2GV Plus 3Ø Composite Curve

C = 4.09"

D = 3.86"


A = 4.65"

B = 4.37"




Wastewater

2GV Plus 3Ø




O: Overall efficiency / input power

2GV Plus 3Ø




Wastewater

2GV Plus 3Ø



O: Overall efficiency / input power

2GV Plus 3Ø



O: Overall efficiency / input power

Xylem |'zīləm|

The tissue in plants that brings water upward from the roots;
a leading global water technology company.

We're 12,500 people unified in a common purpose: creating innovative solutions to meet our world's water needs. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. We move, treat, analyze, and return water to the environment, and we help people use water efficiently, in their homes, buildings, factories and farms. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise, backed by a legacy of innovation.

For more information on how Xylem can help you, go to www.xyleminc.com



Xylem, Inc. 2881 East Bayard Street Ext., Suite A Seneca Falls, NY 13148 Phone: (866) 325-4210 Fax: (888) 322-5877 www.xyleminc.com/brands/gouldswatertechnology

Goulds is a registered trademark of Goulds Pumps, Inc. and is used under license. © 2012 Xylem Inc. C2GVPLUS3PH May 2012